




10,000 PSI FITTING RANGE
N.P.T. Female x Male
Hexagon Barstock Adaptor



P
A
G
E

Female Thread Size	Male Thread Size	Part No.	HEX A/F	A ins.
1/8" x	1/4"	2-4 FMA10K-SS	7/8"	1.29
1/8" x	3/8"	2-6 FMA10K-SS	7/8"	1.29
1/8" x	1/2"	2-8 FMA10K-SS	7/8"	1.42
1/4" x	3/8"	4-6 FMA10K-SS	7/8"	1.51
1/4" x	1/2"	4-8 FMA10K-SS	7/8"	1.70
1/4" x	3/4"	4-12 FMA10K-SS	1 1/8"	1.70
1/4" x	1"	4-16 FMA10K-SS	1 3/8"	1.89
3/8" x	1/2"	6-8 FMA10K-SS	1 1/8"	1.76
3/8" x	3/4"	6-12 FMA10K-SS	1 1/8"	1.76
3/8" x	1"	6-16 FMA10K-SS	1 3/8"	1.95
1/2" x	3/4"	8-12 FMA10K-SS	1 3/8"	2.07
1/2" x	1"	8-16 FMA10K-SS	1 3/8"	2.26
3/4" x	1"	12-16 FMA10K-SS	1 3/4"	2.44

MATERIAL: 316 S11 Stainless Steel

BACK TO

PLEASE SEE FOLLOWING PAGES FOR FURTHER DETAILS

CATALOGUE

Our manufacturing plant in Aviemore is fully equipped with the very latest CNC Machine Tools. This, coupled with excellent management and exacting production procedures approved to BS EN-ISO 9001-1994 standards, ensures continuity of quality and supply.

Complimenting the facility is our commitment to a continuing Research and Development programme striving to ever-improve present standards of material and design.

An overnight delivery service, either by road or rail, is available to allow us to service most of the United Kingdom within 24 hours and with a major airport within easy reach, a similar service can be offered to our overseas customers.

Quality Service from a Quality Company.

In addition, we have also established a priority production cell to process orders of an urgent nature.

Materials such as AISI 316L BS970 316 S11 Stainless Steel, Steel, Monel, Titanium, Hastelloy, Aluminium Bronze, Phosphor Bronze, Brass and Duplex Stainless Steel are available upon request. Most of these materials are held in stock, however, we also welcome enquiries for non-listed fittings and adaptors.




**P
A
G
E**

BACK TO

CATALOGUE

STAMP OF QUALITY



- Manufacturing Procedures conform to BS EN ISO 9001 : 1994
- NACE Standard MR-01-75
- Full Material Traceability
- Material Certification
- Superior Rolled Threads
- All Threads Fully Protected
- Ex-Stock Availability

P
A
G
E

BACK TO

CATALOGUE



TEST CERTIFICATE
TO DIN 50 049 3.1b

No. TC 10989

DATE: 21.11.96

MYRTLEFIELD IND ESTATE,
AVIEMORE,
PH22 1SB.
TEL: 01479 810101
FAX: 01479 810130

CUSTOMER :-

SPECIFICATION :- 7/8" A/F
BS 970 316 S11

REQN. No :- 066319
(BATCH 02133 623024)
(63400225)

QUANTITY

DESCRIPTION :- 4-6 FMA 10K SS

CAST 623024 203 OFF

CAST NO:	C	Si	Mn	P	S	Cr	Ni	Mo	N/MM2 Yield		T.S.	EL%	HB
									0.2%				
623024	.021	.52	1.31	.023	.022	16.71	11.08	2.02	418		639	42	227

SIGNED  Q.C. ENGINEER
FOR HYDRASUN MANUFACTURING DIVISION

REGISTERED IN SCOTLAND NO: 59688
REGISTERED OFFICE 2 PITTODRIE LANE, ABERDEEN, AB24 5QW

BACK TO

CATALOGUE